



Insulin Subcutaneous Sliding Scale Powerplan



Click on "+Add" button and select "Powerplans-OLL"

Or type in "Insu". *note "Starts with Vs. Contains"



Left Click to select powerplan. Then click "DONE" (to close search box).

Insulin Subcutaneous Standard Orders-OLL (Initiated Pending)			
Nursing Orders			
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Notify Provider	Start Date T;N, Contact ORDERING provider if: 1)hypoglycemia occurs; 2) nutritional status changes or...	
Medications			
Insulin: Meal Time Scheduled			
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Discontinue all previous "Subcutaneous Insulin Standard Orders" or sliding scales prior to initiation of the following orders.	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Do NOT discontinue basal insulin (i.e. Lantus, Levemir, NPH)	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FREQUENCY = TIDAC below	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	insulin aspart (NovoLOG)	Very Low Pre Meal Scale, SubCUTANEOUS, Injection... Pre-Meal Insulin Scale-Very Low Scale --To be adminis...
Supplemental Insulin Scales			
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Including fasting/NPO, TPN, tube feedings.	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Discontinue all previous "Subcutaneous Insulin Standard Orders" or sliding scales prior to initiation of the following orders.	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Do NOT discontinue basal insulin (i.e. Lantus, Levemir, NPH)	
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FREQUENCY = Bedtime (HS) in order below	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	insulin aspart (NovoLOG)	Very Low Non Meal Scale, SubCUTANEOUS, Injections... Non-Meal Scale - Very Low Chemstrip Very L...
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FREQUENCY = Bedtime (HS) and 0300 in order below	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	insulin aspart (NovoLOG)	Very Low Non Meal Scale, SubCUTANEOUS, Injections... HS and 0300 Non-Meal Scale - Very Low Chemstrip ...
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FREQUENCY = 2000, 2400, 0400 in order below	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	insulin aspart (NovoLOG)	Very Low Non Meal Scale, SubCUTANEOUS, Injections... 2000 2400 0400 Non-Meal Scale - Very Low Chem...

Note: Headers and Reminders organized by frequency of administration of insulin.

Note: ellipses to change the strength of the sliding scale.

If you hover over the order details. The following area you get the scale popping up over the mouse as seen on the right.

insulin aspart (NovoLOG)	
Details: Very Low Pre Meal Scale, SubCUTANEOUS	
Order Comment: Pre-Meal Insulin Scale-Very Low Scale --T	
Chemstrip	Very Low
less than 161	0 units
161 - 200	2 units
201 - 250	3 units
251 - 300	4 units
301 - 350	5 units
greater than 350	6 units

Note: Antihypoglycemics prechecked to be ordered at bottom of powerplan, (use scroll bars).

Antihypoglycemics			
Treat Hypoglycemia per protocol			
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	glucose (Dextrose 50%)	25 g, IV Push, Syringe, PRN, PRN for Other (see order... Per Adult Hypoglycemia Protocol - Notify Provider if Hy..
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	glucagon	1 mg, IM, Injection, PRN, PRN for Other (see order co... Per Hypoglycemia Protocol - May give IM OR Subcuta.

Select TIDAC insulin aspart by clicking on the check box.

FREQUENCY = TIDAC below			
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	insulin aspart (NovoLOG)	Very Low Pre Meal Scale, Pre-Meal Insulin Scale-Ve

Use the ellipses to change the scale to "medium pre-meal".

Very Low Pre Meal Scale, SubCUTANEOUS, Injection, tidAC	Pre-Meal Insulin Scale-Very Low Scale --To be adminis...
Very Low Pre Meal Scale, SubCUTANEOUS, Injection, tidAC	Low Pre Meal Scale, SubCUTANEOUS, Injection, tidAC
Medium Pre Meal Scale, SubCUTANEOUS, Injection, tidAC	High Pre Meal Scale, SubCUTANEOUS, Injection, tidAC
Very High Pre Meal Scale, SubCUTANEOUS, Injection, tidAC	

Note: Click "Order Comments."

Details for insulin aspart (NovoLOG)

Details | Order Comments | Offset Details | Diagnosis

Order details

Dose [Medium Pre Meal Scale]

Route of administration [● SubCU...]

Drug Form [Injection]

Frequency [☐ tidAC]

PRN

Hold for SBP less than

Hold for HR less than


Detail values

Custom Dose

Medium Pre Meal Scale

Common Doses

- 2 unit(s)
- 3 unit(s)



Order Comments:
 Have been pre-written for all scales. This box is a “free text” box. You can change the contents as you wish. Please add any instructions “ABOVE” what is already present.

As a general theme for CPOE medications please “Always use the **“Order Comments”** tab for any instructions regarding a medication. Please DO NOT use the special instructions field.

When satisfied with order. Click on the inverse black triangle seen in the **red circle** to minimize the medication details window.

Click “Orders for Signature”. Review any duplicates or side effects that present.

Note: Review your orders prior to signature.

In Cerner, the green circles are medications.

Note: you can “right” click on any order and select “remove” to remove that order from the sign que.

Order Name	Status	Start	Details
HPAR OLL; 940; 10 FIN:9913272655 Admit: 08/04/2011 15:02 EDT			
Nursing Orders			
Notify Provider (Contact ORDERING provider if ...	Order	08/10/2011 09:51 EDT	Start Date 08/10/20 ORDERING provider
Medications			
insulin aspart (NovoLOG)	Order	08/10/2011 11:30 EDT	Medium Pre Meal Sc Pre-Meal Insulin Sca
glucose (Dextrose 50%)	Order	08/10/2011 09:51 EDT	25 g, IV Push, Syring Per Adult Hypoglycer
glucagon	Order	08/10/2011 09:51 EDT	1 mg, IM, Injection, F Per Hypoglycemia Pr

0 Missing Required Details Dx Table Sign

Click Sign (to place the order). If you do not click sign, the orders does not get placed.

All medications are reviewed by pharmacy prior to them being on the MAR to chart on (with the exception of the Emergency Room area).